

酸性雨調査

令和元年度酸性雨調査結果(保健所屋上)

月	日	雨量	pH									導電率(μs/cm)						備考	
			1	2	3	4	5	6	平均	最大	最小	1	2	3	4	5	6		平均
4	1	19.5	6.1	5.7	5.9	5.8	5.7	4.9	5.8	6.1	4.9	46.0	50.8	47.1	23.9	16.6	16.3	36.9	4/2 4/8
	10	29.0	5.4	5.4	5.5	5.1	5.3	5.1	5.3	5.5	5.1	8.2	5.2	5.1	8.1	6.2	5.6	6.6	4/11 4/15
5	1	19.0	6.2	6.2	5.8	5.7			6.0	6.2	5.7	63.9	27.9	61.2	32.7			46.4	
	20	59.5	6.3	5.9	5.5	5.2	5.6		5.7	6.3	5.2	114.0	38.3	39.6	52.4	14.5		51.8	5/21
6	7	188.0	6.2	5.6	5.6	5.3	5.2	4.3	5.6	6.2	4.3	26.1	12.3	11.5	10.1	11.9	13.2	14.4	6/9 6/10 6/11 6/12 6/15
	16	50.0	6.1	5.8	5.1	5.6	5.6	4.7	5.6	6.1	4.7	26.5	17.9	21.7	7.3	8.1	12.9	16.3	6/22 6/24 6/27 6/28 6/29
	16	8.5																	6/30
7	1	24.0	3.9	3.9	4.9	5.6	5.9		4.8	5.9	3.9	102.0	92.5	18.2	7.0	4.8		44.9	7/2 7/3 7/4 7/5 7/6
	7	120.0	6.3	5.1	4.8	5.4	4.9	5.4	5.3	6.3	4.8	37.9	26.4	37.7	5.1	9.8	3.7	23.4	7/11 7/12 7/14 7/15 7/16
	18	21.0	6.2	6.0	6.1	6.0			6.1	6.2	6.0	32.2	16.9	5.9	3.5			14.6	7/19 7/22 7/23 7/26 7/27
	28	10.5																	
8	###		6.9	6.5	5.5	5.0	5.8	5.0	5.9	6.9	5.0	160.0	43.8	32.4	17.4	15.2	11.1	53.8	
9	3	105.0	5.6	5.7	5.7	5.6	5.7	4.5	5.6	5.7	4.5	42.0	45.4	20.1	16.9	16.1	9.9	28.1	9/8 9/9 9/10
	11	44.5	4.6	4.7	4.7	4.8	5.2	5.5	4.8	5.5	4.6	20.9	17.0	20.6	10.0	6.3	2.6	15.0	9/16
	18	25.5	6.1	5.1	5.7	5.7	5.7	5.1	5.6	6.1	5.1	22.3	14.7	14.2	9.6	9.0	6.7	14.0	9/22 9/23
10	4	35.0	6.5	6.4	6.2	6.0	5.4	5.0	6.1	6.5	5.0	58.2	32.9	36.0	27.8	11.2	13.4	33.2	10/6 10/7 10/8 10/10 10/11
	12	295.5																	10/14
	17	115.5	5.0	5.2	5.2	5.3	5.8	5.4	5.3	5.8	5.0	23.6	11.6	9.7	6.8	12.0	3.1	12.7	10/18 10/19 10/21 10/22
	24	93.5	4.9	4.8	4.8	5.2	5.4	5.6	5.0	5.6	4.8	72.0	95.0	153.0	47.1	22.3	1.6	77.9	10/25
	29	10.5	5.8	5.9	5.8	5.9	5.9	5.5	5.9	5.9	5.5	23.6	8.4	5.9	4.6	3.5	3.3	9.2	
11	3	28.0	5.0	4.3	4.5	4.3	4.4	4.6	4.5	5.0	4.3	68.4	36.9	23.4	20.0	18.8	11.2	33.5	11/4 11/11
	19	116.0	7.1	6.5	5.5	6.0	6.0		6.2	7.1	5.5	74.5	20.5	29.1	9.1	7.6		28.1	11/22 11/23 11/24 11/25
	27	2.5																	11/28
12	2	13.0	5.7	5.8	6.1	5.7	5.4	5.7	5.7	6.1	5.4	21.0	24.3	27.1	13.9	14.5	6.0	20.2	
	9	35.5	6.3	5.9	5.8	5.6	5.7	5.7	5.8	6.3	5.6	52.5	25.0	16.7	12.6	10.5	4.4	23.5	12/10 12/17 12/22 12/23
	27	1.5																	12/30
1	5	23.0	4.5	5.6	5.6	5.7	5.4	4.9	5.4	5.7	4.5	57.6	42.4	47.9	36.8	22.7	10.5	41.5	1/7 1/8 1/15
	18	71.5	6.4	6.3	6.3	6.3	6.3	5.5	6.3	6.4	5.5	26.6	12.6	20.7	17.1	22.7	2.3	19.9	1/23 1/26 1/27 1/28
2	16	12.5		6.3					6.3	6.3	6.3		20.6					20.6	2/22 2/25 2/26
3	1	13.0	6.0	5.3	6.0	6.1	5.3	5.6	5.7	6.1	5.3	56.0	47.3	40.6	25.3	16.5	18.6	37.1	3/2 3/3 3/4 3/5 3/7
	8	5.0																	
	10	39.5	5.7	5.9	6.0	6.1	6.1	5.7	6.0	6.1	5.7	60.2	36.6	26.2	11.1	10.9	5.7	29.0	3/14 3/15
	24	58.0	6.2	5.3	5.6	5.2	5.4	5.6	5.5	6.2	5.2	54.4	83.2	25.8	12.3	7.9	2.5	36.7	3/28 3/29

平成元年度分析検体数 150 検体
 平成元年度合計雨量 1693.0 mm

令和元年度平均pH 5.6
 令和元年度最大pH 7.1
 令和元年度最少pH 3.9

注1) 平均は1~5の平均値。

注2) pH、導電率の項目下欄の数字1~6は、それぞれ降り始めから1mm目、2mm目...5mm目で、6は6mm目以降の雨を分けて測定したものである。

注3) 各分析日について、備考に示した日付の採取分を合わせて分析した。